

Product Number	Product Description	UM
6472-01	10L CYLINDRICAL FLASK, 8" FLANGE FLAT GROUND, 0-10MM ADJUSTABLE BOTTOM OPENING	EA
6472-02	20L CYLINDRICAL FLASK, 8" O-RING GROOVED FLANGE, FLUSH SEAL BOTTOM OPENING	EA
6472-03	30L CYLINDRICAL FLASK, 12in GROUND FLAT FLANGE, 0-20MM ADJUSTABLE BOTTOM OPENING	EA
6472-05	50L CYLINDRICAL FLASK, 12in GROUND FLAT FLANGE, 0-20MM ADJUSTABLE BOTTOM OPENING	EA
6472-09	JOINT INSERT, TEF, 24/40	EA
6472-10	JOINT INSERT, TEF, 29/42	EA
6472-010	10L JACKETED CYLINDRICAL FLASK, 8" FLANGE FLAT GROUND, 0-10MM ADJUSTABLE BOTTOM OPENING	EA
6472-13	10L CYLINDRICAL JACKETED FLASK, 8" FLAT GROUND FLANGE, FLUSH SEAL BOTTOM OPENING	EA
6472-14	JOINT INSERT, TEF, 45/50	EA
6472-15	COVER, PTFE, 300mm, (5) 45/50 OPENINGS, (2) 29/42 OPENINGS, (1) 71/60 OPENING, FOR 6472-17 FLAT HEAD	EA
6472-16	20L JACKETED CYLINDRICAL FLASK, 8" O-RING GROOVED FLANGE, FLUSH SEAL BOTTOM OPENING	EA
6472-17	HEAD, STAINLESS STEEL, 300MM, FOR 30L & 50L REACTORS, (2) 29/42 OPENINGS, (5) 45/50 OPENINGS, (1) 71/60 OPENING. SEE 6412 FOR PTFE INSERTS.	EA
6472-19	8" FLAT GLASS HEAD, 7 NECK, 45/50 CENTER, (3) 29/42, (3) 24/40	EA
6472-20	12" FLAT GLASS HEAD, 7 NECK, 45/50 CENTER, (4) 45/50, (2) 29/42	EA
6472-21	12" FLAT GLASS HEAD, 8 NECK, 45/32 CENTER, (4) 45/32, (2) 29/32, (1) 71/32	EA
6472-22	HEAD, DOMED 200MM T45/50 (3) T29/42, (3) T24/40	EA
6472-23	300MM 12" DOMED HEAD, 45/50 CENTER, (4) 45/50, (2) 29/42	EA
6472-25	HEAD, STAINLESS STEEL, 200mm, FOR 10L REACTORS, (1) 45/50 OPENING (3) 29/42 OPENINGS, (3) 24/40 OPENINGS, SEE 6412 FOR PTFE INSERTS.	EA
6472-26	HEAD, STAINLESS STEEL, 300mm, FOR 30L & 50L REACTORS, (2) 29/42 (5) 45/50 OPENINGS, SEE 6412 FOR PTFE INSERTS.	EA
6472-27	PILOT PLANT SUPPORT STAND, STAINLESS, 10L	EA
6472-28	10L SUPPORT STAND	EA
6472-29	COVER, PTFE, 200mm, (1) 45/50 OPENING, (3) 29/42 OPENINGS, (3) 24/40 OPENINGS, FOR 6472-25 FLAT HEAD	EA
6472-30	COVER, PTFE, 300mm, (5) 45/50 OPENINGS, (2) 29/42 OPENINGS, FOR 6472-26 FLAT HEAD.	EA
6472-030	30L JACKETED CYLINDRICAL FLASK, 12" FLANGE FLAT GROUND, FLUSH SEAL BOTTOM OPENING	EA
6472-31	PILOT PLANT SUPPORT STAND, STAINLESS, 30L	EA
6472-32	PILOT PLANT SUPPORT STAND, STAINLESS, 50L	EA
6472-33	30L 1/2HP SUPPORT ASSEMBLY 1/2HP ELECT MOTOR	EA
6472-36	50L 1/2HP SUPPORT ASSEMBLY	EA
6472-38	PILOT PLANT SUPPORT STAND, STAINLESS, 30L	EA
6472-39	10L FLASK W/PISTON PLUG	EA
6472-40	30L FLASK W/PISTON PLUG	EA
6472-41	50L FLASK W/PISTON PLUG	EA
6472-42	PILOT PLANT SUPPORT STAND, STAINLESS, 50L	EA

6472-43	25MM SINK DRAIN VALVE PLUG ONLY WITH FETFE O-RINGS	EA
6472-44	25MM SINK DRAIN VALVE PLUG ONLY WITH KALREZ O-RINGS	EA
6472-47	REACTOR,10L PILOT PLANT,8in GROOVED FLANGE,DOMED HEAD,0-14MM BOTTOM,AIR MOTOR,COMPLETE	EA
6472-050	50L JACKETED CYLINDRICAL FLASK, 12" FLAT GROUND FLANGE, FLUSH SEAL BOTTOM OPENING	EA
6472-51	30L PILOT PLANT ASSEMBLY CYL,FLAT HEAD	EA
6472-54	50L PILOT PLANT ASSEMBLY CYL,FLAT HEAD	EA
6472-56	30L PILOT PLANT ASSEMBLY CYL,DOMED HEAD	EA
6472-57	10L CYLINDRICAL JACKETED FLASK, 8" FLAT GROUND FLANGE, #36 SINK ACE THREADED BOTTOM OPENING	EA
6472-58	30L CYLINDRICAL JACKETED FLASK WITH A 12" FLAT FLANGE AND A #36 ACE THREADED BOTTOM OPENING.	EA
6472-60	50L PILOT PLANT ASSEMBLY CYL,DOMED HEAD	EA
6472-61	ELEC DRIVE STOPCOCK 10L FLASK	EA
6472-62	ELEC DRIVE STOPCOCK 30&50L FL K	EA
6472-63	50L CYLINDRICAL JACKETED FLASK WITH A 12" FLAT FLANGE AND A #36 ACE THREADED BOTTOM OPENING.	EA
6472-64	10L SINK TYPE FLASK ONLY	EA
6472-65	30L SINK TYPE FLASK ONLY	EA
6472-66	50L SINK TYPE FLASK ONLY	EA
6472-67	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 10L CYLINDRICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-69	36MM SINK VALVE DRAIN PLUG ONLY. PTFE PLUG WITH CHEMRAZ O-RINGS	EA
6472-071	10L CYLINDRICAL JACKETED FLASK, 8" FLAT GROUND FLANGE, 1" BEADED PIPE BOTTOM OPENING	EA
6472-73	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 50L SPHERICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-75	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 72-100L SPHERICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-77	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 30L CYLINDRICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-79	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 50-100L CYLINDRICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-83	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 200L SPHERICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-87	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 200L CYLINDRICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-91	PILOT PLANT TEMPERATURE CONTROL SYSTEM, 150L CYLINDRICAL. CONSISTS OF CONTROLLER, AUX RELAY UNIT, SENSOR AND ADAPTERS.	EA
6472-091	30L CYLINDRICAL JACKETED FLASK WITH A 12" FLAT FLANGE AND A 1" BEADED PIPE BOTTOM OPENING.	EA
6472-95	50L CYLINDRICAL JACKETED FLASK WITH A 12" FLAT FLANGE AND A 1" BEADED PIPE BOTTOM OPENING.	EA
6472-96	10L BEAD FLASK WITHOUT DRAIN	EA
6472-97	30L BEAD FLASK WITHOUT DRAIN	EA

6472-98	50L BEAD FLASK WITHOUT DRAIN	EA
6472-99	1" BEADED PIPE VALVE DRAIN ASSEMBLY. INCLUDES GLASS, CLAMP, PTFE PLUG, FETFE O-RINGS	EA
6472-147	REACTOR, 10L, PILOT PLANT, COMPLETE WITH AIR STIRRING MOTOR	EA
6472-151	30L PILOT PLANT ASSEMBLY JACKETED CYL,FLAT HEAD	EA
6472-153	30L PILOT PLANT ASSEMBLY JACKETED CYL,DOMED HEAD	EA
6472-154	50L PILOT PLANT ASSEMBLY JYTD CYL,FLAT HEAD	EA
6472-155	1/2" FLEXIBLE BEAM USED WITH 6472-157 CHUCK TO CONNECT 1/2" MOTOR SHAFT TO 28MMOD STIR ROD	EA
6472-156	5/8" FLEXIBLE BEAM USED WITH 6472-157 CHUCK TO CONNECT 5/8" MOTOR SHAFT TO 28MMOD STIR ROD	EA
6472-157	CHUCK USED TO CONNECT 28MM OD STIR ROD TO ACE FLEXIBLE BEAM CONNECTORS 6472-155,-156,-159	EA
6472-158	28MM CHUCK (6472-157) REPLACEMENT PIN	EA
6472-159	3/8" FLEXIBLE BEAM USED WITH 6472-157 CHUCK TO CONNECT 3/8" MOTOR SHAFT TO 28MMOD STIR ROD	EA
6472-160	50L PILOT PLANT ASSEMBLY JACKETED CYL,DOMED HEAD	EA
6472-161	BOLT & NUT,SS,8in,NEED 12 EA FOR 6525 FLAT HEAD CLAMP	EA
6472-164	10L SINK DRAIN FLASK	EA
6472-165	30L SINK DRAIN FLASK	EA
6472-166	50L SINK DRAIN FLASK	EA
6472-167	20L CYLINDRICAL FLASK, 8" O-RING GROOVE FLANGE, 0-20MM BOTTOM OPENING WITH 35/25 O-RING BALL JOINT CONNECTION	EA
6472-168	20L CYLINDRICAL FLASK, 8" O-RING GROOVE FLANGE, PISTON VALVE BOTTOM OPENING	EA
6472-169	20L CYLINDRICAL FLASK, 8" O-RING GROOVE FLANGE, SINK VALVE BOTTOM OPENING	EA
6472-170	20L CYLINDRICAL FLASK, 8" O-RING GROOVE FLANGE, 1" BEADED PIPE BOTTOM OPENING	EA
6472-175	20L CYLINDRICAL JACKETED FLASK, 8" O-RING GROOVE FLANGE, 0-20 BOTTOM OPENING WITH A 35/25 O-RING BALL JOINT CONNECTION.	EA
6472-176	20L CYLINDRICAL JACKETED FLASK, 8" O-RING GROOVE FLANGE, PISTON VALVE BOTTOM OPENING	EA
6472-177	20L CYLINDRICAL JACKETED FLASK, 8" O-RING GROOVE FLANGE, SINK VALVE BOTTOM OPENING	EA
6472-178	20L CYLINDRICAL JACKETED FLASK, 8" O-RING GROOVE FLANGE, 1" BEADED PIPE BOTTOM OPENING	EA
6472-196	10L BEAD DRAIN FLASK	EA
6472-197	30L BEAD DRAIN FLASK	EA
6472-198	50L BEAD DRAIN FLASK	EA
6472-200	CLEAN-IN-PLACE SPRAY DISC ONLY	EA
6472-201	STAINLESS STEEL COUPLING, 1/4" FPT	EA
6472-204	24" STAINLESS STEEL CLEAN-IN-PLACE EXTENSION TUBE	EA
6472-206	1/4"FPT STAINLESS STEEL ELBOW	EA
6472-208	1/4"MPT 7/8" STAINLESS STEEL NIPPLE	EA
6472-210	CLEAN-IN-PLACE SPRAYER, CLEAN REACTORS WITHOUT DISMANTLING	EA
6472-241	30L FLASK 'M' VALVE SEAT 12" FLAT FLANGE	EA
6472-242	50L FLASK 'M' VALVE SEAT 12" FLAT FLANGE	EA

6472-245	FLUSH SEAL VALVE DRAIN ASSEMBLY	EA
6472-248	30L FLASK W/FLUSH DRAIN 12" FLAT FLANGE	EA
6472-249	50L FLASK W/FLUSH DRAIN 12" FLAT FLANGE	EA
6472-275	ADAPTER, 1" BEADED PIPE TO 1/2"OD TUBE	EA
6472-276	ADAPTER, 1" BEADED PIPE TO 1/2"ID HOSE CONNECTION	EA
6472-277	ADAPTER, 1" BEADED PIPE TO #15 ACE-THRED	EA
6472-278	ADAPTER, 1" BEADED PIPE TO #25 ACE-THRED	EA
6472-280	20L PILOT PLANT ASSEMBLY, PLAIN FLASK, DIGITAL MOTOR	EA
6472-282	20L PILOT PLANT ASSEMBLY, PLAIN FLASK, ANALOG MOTOR	EA
6472-284	20L PILOT PLANT ASSEMBLY, PLAIN FLASK, AIR MOTOR	EA
6472-328	PILOT PLANT SUPPORT STAND, STAINLESS, 10L	EA
6472-329	20L STAINLESS STEEL SUPPORT STAND, 6472-363 SYSTEM	EA
6472-331	PILOT PLANT SUPPORT STAND, STAINLESS, 30L	EA
6472-332	PILOT PLANT SUPPORT STAND, STAINLESS, 50L	EA
6472-334	SUPPORT STAND,STAINLESS,LOW-PROFILE,22x78in	EA
6472-335	20L STAINLESS STEEL SUPPORT STAND, 6472-365 SYSTEM	EA
6472-337	20L STAINLESS STEEL SUPPORT STAND, 6472-367 SYSTEM	EA
6472-342	12x26" PILOT PLANT STAND SIDE SHELF, BLACK POWDER-COATED ALUMINIUM.	EA
6472-343	12x28" PILOT PLANT STAND SIDE SHELF, BLACK POWDER-COATED ALUMINUM	EA
6472-344	12x32" PILOT PLANT STAND SIDE SHELF, BLACK POWDER-COATED ALUMINUM	EA
6472-345	12x40" PILOT PLANT STAND SIDE SHELF, BLACK POWDER-COATED ALUMINUM	EA
6472-346	12x42" PILOT PLANT STAND SIDE SHELF, BLACK POWDER-COATED ALUMINUM	EA
6472-360	20L STAINLESS STEEL SUPPORT STAND, 6472-280 SYSTEM	EA
6472-362	20L STAINLESS STEEL SUPPORT STAND, 6472-282 SYSTEM	EA
6472-363	20L PILOT PLANT ASSEMBLY, JACKETED FLASK, DIGITAL MOTOR	EA
6472-364	20L STAINLESS STEEL SUPPORT STAND, 6472-284 SYSTEM	EA
6472-365	20L PILOT PLANT ASSEMBLY, JACKETED FLASK, ANALOG MOTOR	EA
6472-367	20L PILOT PLANT ASSEMBLY, JACKETED FLASK, AIR MOTOR	EA
6472-436	25MM SINK VALVE DRAIN ASSEMBLY. GLASS, PTFE PLUG, FETFE O-RINGS	EA
6472-448	25MM SINK VALVE DRAIN ASSEMBLY. GLASS, PTFE PLUG, KALREZ O-RINGS	EA
6472-668	25MM FLUSH SEAL VALVE GLASS ONLY	EA
6472-673	36MM FLUSH SEAL VALVE GLASS ONLY	EA
6472-872	ALUMINUM MOTOR MOUNT TO BE USED WITH ACE 6472 PILOT PLANT ASSEMBLIES AND ACE 13554 HEAVY DUTY STIRRING MOTORS AND CONTROLLERS.	EA