

<b>Product Number</b>	<b>Product Description</b>
<b>8648-03</b>	TUBE,PRESSURE,15ML,150psi,25.4MMOD,10.2CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-04</b>	TUBE,PRESSURE,15ML,150psi,25.4MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-06</b>	TUBE,PRESSURE,35ML,150psi,25.4MMOD,17.8CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-07</b>	TUBE,PRESSURE,35ML,150psi,25.4MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-08</b>	TUBE,PRESSURE,38ML,150psi,25.4MMOD,20.3CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-09</b>	TUBE,PRESSURE,38ML,150psi,25.4MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-10</b>	TUBE,PRESSURE,1ML,150psi,8MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-12</b>	TUBE,PRESSURE,4ML,150psi,13MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-15</b>	BUSHING ONLY,PLUNGER VALVE,#7,O-RING INCLUDED
<b>8648-16</b>	PLUNGER VALVE,#7,1/4in TUBE END
<b>8648-17</b>	TUBE,PRESSURE,9ML,150psi,19MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-19</b>	BUSHING ONLY,PLUNGER VALVE,#15,O-RING INCLUDED
<b>8648-20</b>	PLUNGER VALVE,#15,3/8in TUBE END
<b>8648-21</b>	TUBE,PRESSURE,2ML,150psi,8MMOD,17.8CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-23</b>	TUBE ONLY,PRESSURE,15ML,#15,25.4MMOD,10.2CM LONG,NO PLUG
<b>8648-24</b>	TUBE ONLY,PRESSURE,48ML,#15,38.1MMOD,10.2CM LONG,NO PLUG
<b>8648-25</b>	TUBE,PRESSURE,8ML,150psi,13MMOD,17.8CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-26</b>	TUBE ONLY,PRESSURE,35ML,#15,25.4MMOD,17.8CM LONG,NO PLUG
<b>8648-27</b>	TUBE ONLY,PRESSURE,100ML,#15,38.1MMOD,17.8CM LONG,NO PLUG
<b>8648-29</b>	TUBE ONLY,PRESSURE,38ML,#15,25.4MMOD,20.3CM LONG,NO PLUG
<b>8648-30</b>	TUBE ONLY,PRESSURE,120ML,#15,38.1MMOD,20.3CM LONG,NO PLUG
<b>8648-32</b>	TUBE ONLY,PRESSURE,60ML,#15,25.4MMOD,30.5CM LONG,NO PLUG
<b>8648-33</b>	TUBE ONLY,PRESSURE,185ML,#15,38.1MMOD,30.5CM LONG,NO PLUG
<b>8648-34</b>	TUBE,PRESSURE,18ML,150psi,19MMOD,17.8CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-36</b>	TUBE,PRESSURE,2.5ML,150psi,8MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-38</b>	TUBE,PRESSURE,9ML,150psi,13MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-40</b>	TUBE ONLY,PRESSURE,1ML,#7,8MMOD,10.2CM LONG,NO PLUG
<b>8648-41</b>	TUBE ONLY,PRESSURE,4ML,#7,13MMOD,10.2CM LONG,NO PLUG
<b>8648-42</b>	TUBE ONLY,PRESSURE,9ML,#7,19MMOD,10.2CM LONG,NO PLUG
<b>8648-43</b>	TUBE,PRESSURE,21ML,150psi,19MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-45</b>	TUBE ONLY,PRESSURE,2.5ML,#7,8MMOD,20.3CM LONG,NO PLUG
<b>8648-46</b>	TUBE ONLY,PRESSURE,9ML,#7,13MMOD,20.3CM LONG,NO PLUG
<b>8648-47</b>	TUBE ONLY,PRESSURE,21ML,#7,19MMOD,20.3CM LONG,NO PLUG
<b>8648-48</b>	TUBE,PRESSURE,3ML,150psi,8MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-50</b>	TUBE ONLY,PRESSURE,3ML,#7,8MMOD,30.5CM LONG,NO PLUG
<b>8648-51</b>	TUBE ONLY,PRESSURE,15ML,#7,13MMOD,30.5CM LONG,NO PLUG

<b>8648-52</b>	TUBE ONLY,PRESSURE,27ML,#7,19MMOD,30.5CM LONG,NO PLUG
<b>8648-53</b>	TUBE,PRESSURE,15ML,150psi,13MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-55</b>	TUBE,PRESSURE,27ML,150psi,19MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-57</b>	HYDROGENATION TEMPERATURE MEASUREMENT UNIT FOR USE WITH 7482 PARR TYPE I
<b>8648-60</b>	TUBE,PRESSURE,1ML,150psi,8MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-61</b>	TUBE,PRESSURE,4ML,150psi,13MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-62</b>	TUBE,PRESSURE,9ML,150psi,19MMOD,10.2CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-64</b>	TUBE,PRESSURE,2ML,150psi,8MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-65</b>	TUBE,PRESSURE,8ML,150psi,13MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-66</b>	TUBE,PRESSURE,18ML,150psi,19MMOD,20.3CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-68</b>	TUBE,PRESSURE,3ML,150psi,8MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-69</b>	TUBE,PRESSURE,15ML,150psi,13MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-70</b>	TUBE,PRESSURE,27ML,150psi,19MMOD,30.5CM LONG,COMPLETE WITH #7 FRONT-SEAL PLUNGER VALVE
<b>8648-75</b>	TUBE,PRESSURE,15ML,150psi,25.4MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-76</b>	TUBE,PRESSURE,48ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-77</b>	TUBE,PRESSURE,48ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-78</b>	TUBE,PRESSURE,35ML,150psi,25.4MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-79</b>	TUBE,PRESSURE,100ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-82</b>	TUBE,PRESSURE,38ML,150psi,25.4MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-83</b>	TUBE,PRESSURE,120ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-85</b>	TUBE,PRESSURE,60ML,150psi,25.4MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-86</b>	TUBE,PRESSURE,185ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE
<b>8648-88</b>	TUBE,PRESSURE,100ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-89</b>	TUBE,PRESSURE,100ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-96</b>	TUBE,PRESSURE,140ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-97</b>	TUBE,PRESSURE,140ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-98</b>	TUBE,PRESSURE,48ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-102</b>	TUBE,PRESSURE,60ML,150psi,25.4MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-103</b>	TUBE,PRESSURE,60ML,150psi,25.4MMOD,30.5CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-104</b>	PLUNGER VALVE,T-WELL,10.2CM
<b>8648-105</b>	TUBE,PRESSURE,185ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUG
<b>8648-106</b>	TUBE,PRESSURE,185ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #15 BACK-SEAL PLUG
<b>8648-107</b>	PLUNGER VALVE,T-WELL,17.8CM
<b>8648-108</b>	PLUNGER VALVE,T-WELL,20.3CM
<b>8648-109</b>	TUBE,PRESSURE,120ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-110</b>	TUBE,PRESSURE,120ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-112</b>	PLUNGER VALVE,T-WELL,30.5CM

<b>8648-113</b>	TUBE,PRESSURE,140ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-114</b>	TUBE,PRESSURE,140ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-115</b>	TUBE,PRESSURE,210ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-116</b>	TUBE,PRESSURE,210ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-117</b>	TUBE,PRESSURE,90ML,150psi,50MMOD,10.2CM LONG,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-118</b>	TUBE,PRESSURE,90ML,150psi,50MMOD,10.2CM LONG,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-120</b>	BOTTLE ONLY,PRESSURE,8ML,#7,NO PLUG
<b>8648-121</b>	TUBE,PRESSURE,170ML,150psi,50MMOD,17.8CM LONG,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-122</b>	TUBE,PRESSURE,170ML,150psi,50MMOD,17.8CM LONG,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-123</b>	TUBE,PRESSURE,200ML,150psi,50MMOD,20.3CM LONG,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-124</b>	BOTTLE ONLY,PRESSURE,14ML,#7,NO PLUG
<b>8648-125</b>	TUBE,PRESSURE,200ML,150psi,50MMOD,20.3CM LONG,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-126</b>	BOTTLE ONLY,PRESSURE,25ML,#7,NO PLUG
<b>8648-127</b>	TUBE,PRESSURE,300ML,150psi,50MMOD,30.5CM LONG,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-128</b>	TUBE,PRESSURE,300ML,150psi,50MMOD,30.5CM LONG,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-132</b>	TUBE ONLY,PRESSURE,2ML,#7,8MMOD,17.8CM LONG,NO PLUG
<b>8648-133</b>	TUBE ONLY,PRESSURE,8ML,#7,13MMOD,17.8CM LONG,NO PLUG
<b>8648-134</b>	TUBE ONLY,PRESSURE,18ML,#7,19MMOD,17.8CM LONG,NO PLUG
<b>8648-135</b>	BOTTLE ONLY,PRESSURE,75ML,#25,NO PLUG
<b>8648-136</b>	TUBE,PRESSURE,60ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-137</b>	TUBE,PRESSURE,60ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-138</b>	BOTTLE ONLY,PRESSURE,175ML,#25,NO PLUG
<b>8648-140</b>	BOTTLE ONLY,PRESSURE,325ML,#25,NO PLUG
<b>8648-155</b>	BOTTLE ONLY,PRESSURE,950ML,#25,NO PLUG
<b>8648-157</b>	BOTTLE ONLY,PRESSURE,1850ML,#25,NO PLUG
<b>8648-162</b>	TUBE ONLY,PRESSURE,120ML,#25,38.1MMOD,17.8CM LONG,NO PLUG
<b>8648-164</b>	TUBE,PRESSURE,15ML,150psi,25.4MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-165</b>	TUBE ONLY,PRESSURE,140ML,#25,38.1MMOD,20.3CM LONG,NO PLUG
<b>8648-166</b>	TUBE ONLY,PRESSURE,210ML,#25,38.1MMOD,30.5CM LONG,NO PLUG
<b>8648-167</b>	TUBE,PRESSURE,48ML,150psi,38.1MMOD,10.2CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-170</b>	TUBE,PRESSURE,35ML,150psi,25.4MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-172</b>	TUBE,PRESSURE,100ML,150psi,38.1MMOD,17.8CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-175</b>	TUBE,PRESSURE,38ML,150psi,25.4MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL

<b>8648-177</b>	TUBE,PRESSURE,120ML,150psi,38.1MMOD,20.3CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-179</b>	TUBE,PRESSURE,60ML,150psi,25.4MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-181</b>	TUBE,PRESSURE,185ML,150psi,38.1MMOD,30.5CM LONG,COMPLETE WITH #15 FRONT-SEAL PLUNGER VALVE WITH THERMOWELL
<b>8648-187</b>	TUBE ONLY,PRESSURE,60ML,#25,38.1MMOD,10.2CM LONG,NO PLUG
<b>8648-190</b>	TUBE ONLY,PRESSURE,90ML,#36,50MMOD,10.2CM LONG,NO PLUG
<b>8648-191</b>	BOTTLE ONLY,PRESSURE,325ML,#36,NO PLUG
<b>8648-192</b>	BOTTLE ONLY,PRESSURE,950ML,#36,NO PLUG
<b>8648-193</b>	BOTTLE ONLY,PRESSURE,1850ML,#36,NO PLUG
<b>8648-194</b>	TUBE ONLY,PRESSURE,170ML,#36,50MMOD,17.8CM LONG,NO PLUG
<b>8648-195</b>	TUBE ONLY,PRESSURE,200ML,#36,50MMOD,20.3CM LONG,NO PLUG
<b>8648-196</b>	TUBE ONLY,PRESSURE,300ML,#36,50MMOD,30.5CM LONG,NO PLUG
<b>8648-230</b>	BOTTLE,PRESSURE,8ML,60psi,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-232</b>	BOTTLE,PRESSURE,14ML,60psi,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-234</b>	BOTTLE,PRESSURE,25ML,60psi,COMPLETE WITH #7 FRONT-SEAL PLUG
<b>8648-245</b>	BOTTLE,PRESSURE,175ML,60psi,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-246</b>	BOTTLE,PRESSURE,175ML,60psi,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-247</b>	BOTTLE,PRESSURE,325ML,60psi,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-248</b>	BOTTLE,PRESSURE,325ML,60psi,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-249</b>	BOTTLE,PRESSURE,75ML,60psi,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-250</b>	BOTTLE,PRESSURE,75ML,60psi,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-251</b>	BOTTLE,PRESSURE,950ML,60psi,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-252</b>	BOTTLE,PRESSURE,950ML,60psi,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-253</b>	BOTTLE,PRESSURE,1850ML,60psi,COMPLETE WITH #25 FRONT-SEAL PLUG
<b>8648-254</b>	BOTTLE,PRESSURE,1850ML,60psi,COMPLETE WITH #25 BACK-SEAL PLUG
<b>8648-308</b>	BOTTLE,PRESSURE,325ML,60psi,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-309</b>	BOTTLE,PRESSURE,325ML,60psi,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-310</b>	BOTTLE,PRESSURE,950ML,60psi,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-311</b>	BOTTLE,PRESSURE,950ML,60psi,COMPLETE WITH #36 BACK-SEAL PLUG
<b>8648-312</b>	BOTTLE,PRESSURE,1850ML,60psi,COMPLETE WITH #36 FRONT-SEAL PLUG
<b>8648-313</b>	BOTTLE,PRESSURE,1850ML,60psi,COMPLETE WITH #36 BACK-SEAL PLUG